Xerox[®] AltaLink[®] Multifunction Printer

The fleet-ready, black-and-white Workplace Assistant.



B8045/B8055/B8065/B8075/B8090





Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090 Multifunction Printer

Introducing our latest black-and-white smart multifunction printer intelligent enough to change the way you work. Offering a next generation, mobile-ready user experience, the AltaLink B8000 Series is built for ease of use, security and the future-proof flexibility of app-based workflows. Transform your fleet — and then your business.

SMART AND PRODUCTIVE

From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink B8000 Series is the multifunction device today's workers have been waiting for.

Easy to manage as a standalone device or as part of an entire fleet, it's designed to enable fast multitasking and collaboration. Create customized 1-Touch Apps to automate multi-step workflows. Simply tap your new app to quickly perform the job you configured. And save time by scanning to multiple destinations, including a USB drive, network location and SMB share location, all in one operation.

With the touch of a button, you can go to our Xerox App Gallery and download these simple, yet powerful, serverless apps to your AltaLink[®] device to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including @printbyXerox, Google Cloud Print[™], Xerox[®] Print Service Plug-in for Android[™], Airprint[®], Mopria[®] and optional Wi-Fi Direct[®] provides the time-saving convenience your workforce wants and needs.

POWERFUL AND SCALABLE

Provide interactive training and support right from your desktop with our remote control panel. Enable serverless fleet management with Fleet Orchestrator. Configure a single device once, then let the Fleet Orchestrator deploy and manage configurations automatically and share automated workflows across devices.

Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods — and your choice of finishing options means you can configure your AltaLink® device for any work environment and any document type, including booklets, brochures and pamphlets.

BUILT-IN SECURITY

Enjoy comprehensive security through our strategic approach to preventing intrusions and keeping documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the individual device, fleet and network level.

By interacting with the market-leading McAfee® DXL and Cisco® pxGrid platforms, Xerox® AltaLink devices employ an orchestrated response that neutralizes threats at their source the moment they occur.

Multiple layers of security include data encryption, disk overwrite and industry certifications. The innovative Configuration Watchdog ensures your AltaLink devices remain configured in accordance with your security policies.

XEROX[®] CONNECTKEY[®] TECHNOLOGY

Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesturebased touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

Enables Next Generation Services


Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at **www.ConnectKey.com**.

FINISHING APPLICATIONS





CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder scans documents at up to 200 images per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/75 gsm media.
- **3 Bypass Tray** handles up to 100 sheets of 80 lb Cover/216 gsm.
- **4 Two 500-sheet universal trays** are adjustable up to 11 x 17 in./A3.
- **5 Envelope Kit** (optional replaces Tray 2) provides trouble-free feeding of up to 50 envelopes.
- **6 High-Capacity Tandem Tray** holds a total of 3,600 sheets of letter/A4-size paper.
- **7 High-Capacity Feeder** (optional) holds 3,300 sheets of paper. This brings the maximum capacity up to 8,000 sheets.
- **8 Offset Catch Tray (OCT)** (optional) holds 400 sheets.
- 9 Office Finisher (optional with AltaLink B8045/ B8055/B8065/B8075) provides 50-sheet multiposition stapling with an optional hole punch.

- **10 Office Finisher with Booklet Maker** (optional with AltaLink B8045/B8055/B8065/B8075) provides all the finishing of the Office Finisher the capability to create 60-page saddle-stitched booklets (2 to 15 sheets).
- 11 High Volume Finisher (HVF) (optional with AltaLink B8065/B8075; required for AltaLink® B8090) features 100-sheet multiposition stapling and an optional hole punch.
- 12 High Volume Finisher with Booklet Maker (optional with AltaLink B8065/B8075/B8090) provides all the finishing of the High Volume Finisher with additional saddle-stitch booklet making capabilities (2 to 15 sheets / 60 pages).
- 13 Keyboard (optional)
- 14 Xerox® Integrated RFID Card Reader E1.0 (optional) adds card based authentication with support for over 90 access cards.
- 15 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to an AltaLink B8000 and the MFP will be added to their device list and instantly allow printing.







INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen — the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing commonly used functions front and center. Don't like where a function or app is located? Want faster access to app settings? Easily customize the touchscreen's layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink B8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.

Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090 Multifunction Printer

ConnectKey[®] Technology

DEVICE SPECIFICATIONS	AltaLink® B8045	AltaLink [®] B8055	AltaLink [®] B8065	AltaLink® B8075	AltaLink [®] B8090	
Speed	Up to 45 ppm	Up to 55 ppm	Up to 65 ppm	Up to 75 ppm	Up to 90 ppm	
/onthly Duty Cycle*	Up to 175,000 pages	Up to 200,000 pages	Up to 250,000 pages	Up to 300,000 pages	Up to 400,000 pages	
lard Drive/Processor/Memory	Minimum 250 GB HDD/1.9 G	Hz Quad Core/4 GB system mei				
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct [®] with optional Xerox [®] USB Wireless Adapter, NFC Tap-to-Pair					
Copy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 1200, 256 shades of gray					
First-Copy-Out Time	As fast as 3.8 seconds from the platen/ 7.4 seconds from the Duplex Automatic Document Feeder		As fast as 3.3 seconds from	As fast as 2.9 seconds from	As fast as 4.9 seconds from	
	(DADF)		the platen/7.2 seconds from the DADF	the platen/6.9 seconds from the DADF	the platen/8.7 seconds from the DADF	
First-Print-Out Time	As fast as 3.9 seconds		As fast as 4.9 seconds			
Warm-up from Power Off	As fast as 120 seconds					
(Boot Time)						
Page Description Languages	Adobe [®] PostScript [®] 3™, Adob	e PDF version 1.7, PCL [®] 5c/PCL	6, Optional XML Paper Specifico	ation (XPS)		
Paper Input Standard	Single-Pass Duplex Automatic Document Feeder: 200 sheets; Speed: up to 200 ipm (duplex); Sizes: 4.9 x 5 in. to 11.7 x 17 in./					
Optional	125 x 138 mm to 297 x 432 mm					
	Bypass Tray: 100 sheets; Custom sizes: 4.25 x 5.5 to 11 x 17 in./A6 to A3					
	Trays 1 and 2: 500 sheets each; Custom sizes: 5.5 x 8.5 to 11 x 17 in./A5 to A3					
	High-Capacity Tandem Tray Module: 3,600-sheet total (1,600 and 2,000 sheets); Size 8.5 x 11 in./A4 High-Capacity Feeder (HCF): 3,300 sheets; Size 8.5 x 11 in./A4 long edge feed					
Optional	Envelope Tray (Replaces Tray 2): Up to 50 envelopes: #10 Commercial, Monarch, DL, C5					
Paper Output/ Optional						
Finishing	Office Finisher (Not available with B8090): 2,000 + 250-sheet trays, 50-sheet multi-position stapling, optional hole punch					
	Office Finisher with Booklet Maker (Not available with B8090): 2,000 + 250-sheet trays, 50-sheet multi-position stapling, saddle-stitch booklet making					
	(2 to 15 sheets (60 pages)), optional hole punch					
	High Volume Finisher (HVF) (Optional with B8065/B8075; HVF or HVF with Booklet Maker is required for B8090): 3,000 + 250-sheet trays, 100-sheet					
	multi-position stapling, optional hole punch					
	High Volume Finisher with Booklet Maker (Optional with B8065/B8075/B8090): 3,000 + 250-sheet trays, 100-sheet multi-position stapling, saddle-stitch booklet making (2 to 15 sheets (60 pages)), optional hole punch					
	Convenience Stapler: 50-sheet stapling (based on 20 lb Bond/75 gsm), includes Left Hand Shelf					
INTUITIVE USER EXPE		cerstapting (based on 20 to bo	ina, 75 gsini, includes ceremane			
Customize		stomization with Xerox® App G	allery Apps			
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®, Application Defaults, Xerox® Pull Print Driver					
Xerox [®] Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog					
Remote Console/Preview	Remote Control Panel					
Print Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control,					
	Two-sided Printing, Draft Mode					
Scan and Fax	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/					
	Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR)					
MOBILE AND CLOUD R		j, Onnea Adaless Book, Optica				
Mobile Connectivity		d Print™ Ready Xerox® Print Se	rvice Plug_in for Android™ Mon	ria® Print Service Plug-in for An	droid NEC	
woble connectivity		e® AirPrint®, Google Cloud Print™ Ready, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android, NFC, i Direct Printing, Xerox® Print Service Plug-in for Android™				
Mobile Printing	Xerox®@printbyXerox App, See more at xerox.com/MobileSolutions; Optional: Xerox® Workplace Cloud/Suite Mobile Print Solution.					
	Learn more at xerox.com/MobilePrinting.					
Cloud Connectivity	Xerox App Gallery; Optional: Connect for Salesforce, Connect for Google Drive [®] , Connect for OneDrive [®] , Connect for DropBox [™] , Connect for Office					
	365 [™] , Connect for Box [®] and more at xerox.com/CloudConnectorApps .					
		nore at AcroA.com/cloudcom				
BENCHMARK SECURIT						
BENCHMARK SECURIT Network Security	IPsec, HTTPS, SFTP and Encry	rpted Email, McAfee® ePolicy C	Drchestrator®, Network Authent			
	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates	/pted Email, McAfee® ePolicy C , Automatic Self-signed Certific				
Network Security	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inte	rpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration	Drchestrator®, Network Authent cate, Cisco® Identity Services Er	igine (ISE) integration, automa	ted threat response through	
	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid into User Access and Internal Fire	rpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering,	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use	gine (ISE) integration, automa r Permissions, Configuration Wo	ted threat response through atchdog;	
Network Security	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid into User Access and Internal Fire Optional: Smart Card Enable	/pted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero:	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use « [®] Integrated RFID Card Reade	gine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic	ted threat response through atchdog; ation via	
Network Security	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid into User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace C	/pted Email, McAfee [®] ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero; oud/Suite Print Management c	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use	igine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol	ted threat response through atchdog; :ation via utions .)	
Network Security Device Access	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid intu User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 250	/pted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero; oud/Suite Print Management 6 5-bit, FIPS 140-2, Validated) an	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use x [®] Integrated RFID Card Reade and Content Security; learn mo	igine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control	
Network Security Device Access	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inter User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 256 (optional), Firmware Verificat	vpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management c 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use x® Integrated RFID Card Reade and Content Security; learn moi d Image Overwrite, McAfee Err	igine (ISE) integration, automa r Permissions, Configuration Wa r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, A ilace Cloud/Suite Content Secu	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control	
Network Security Device Access Data Protection	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inter User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 25t (optional), Firmware Verificati Common Criteria Certificatio ATION SERVICES	rpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management c 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H n (ISO 15408), Encrypted Secu	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use x [®] Integrated RFID Card Reade and Content Security; learn mo Id Image Overwrite, McAfee Ern FTPS and Drivers, Xerox [®] Workg re Print, FIPS Encrypted Print Dr	igine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N lace Cloud/Suite Content Secu ivers	ted threat response through atchdog; ation via utions .) <i>M</i> cAfee Integrity Control <i>r</i> ity	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inte User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 250 (optional), Firmware Verificatio Common Criteria Certificatio ATION SERVICES Xerox® Standard Accounting; C	rpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management c 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H n (ISO 15408), Encrypted Secu Dptional: Xerox® Workplace Clo	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use x [®] Integrated RFID Card Reade and Content Security; learn moi al Image Overwrite, McAfee Er TTPS and Drivers, Xerox [®] Work <u>p</u> re Print, FIPS Encrypted Print Dr ud/Suite, Nuance Equitrac, Ysoft	gine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N lace Cloud/Suite Content Secu ivers : SafeQ, PaperCut and more at x	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement.	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inter User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 256 (optional), Firmware Verificati Common Criteria Certificatio ATION SERVICES Xerox® Standard Accounting; C Xerox® Device Manager, Xero	vpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management of 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H ² n (ISO 15408), Encrypted Secu Optional: Xerox® Workplace Clo x® CentreWare® Web, Xerox® S	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use x [®] Integrated RFID Card Reade and Content Security; learn mo Id Image Overwrite, McAfee Ern FTPS and Drivers, Xerox [®] Workg re Print, FIPS Encrypted Print Dr	gine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N lace Cloud/Suite Content Secu ivers : SafeQ, PaperCut and more at x	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inte User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 250 (optional), Firmware Verificatio Common Criteria Certificatio ATION SERVICES Xerox® Standard Accounting; Xerox® Device Manager, Xero Configuration Cloning, Fleet C	/pted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management of 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H ² n (ISO 15408), Encrypted Secu Optional: Xerox® Workplace Clo x® CentreWare® Web, Xerox® S Irchestrator	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use & Integrated RFID Card Reade and Content Security; learn mor d Image Overwrite, McAfee Er TTPS and Drivers, Xerox® Workp re Print, FIPS Encrypted Print Dr ud/Suite, Nuance Equitrac, Ysoft upport Assistance, Automated	gine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N lace Cloud/Suite Content Secu ivers : SafeQ, PaperCut and more at x	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid intu User Access and Internal Fire Optional : Smart Card Enable optional Xerox® Workplace CI Encrypted Hard Disk (AES 256 (optional), Firmware Verificati Common Criteria Certification ATION SERVICES Xerox® Standard Accounting; C Xerox® Device Manager, Xero Configuration Cloning, Fleet C Cisco EnergyWise®, Print Use	vpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management of 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H ² n (ISO 15408), Encrypted Secu Optional: Xerox® Workplace Clo x® CentreWare® Web, Xerox® S	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use & Integrated RFID Card Reade and Content Security; learn mor d Image Overwrite, McAfee Er TTPS and Drivers, Xerox® Workp re Print, FIPS Encrypted Print Dr ud/Suite, Nuance Equitrac, Ysoft upport Assistance, Automated	gine (ISE) integration, automa r Permissions, Configuration Wo r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N lace Cloud/Suite Content Secu ivers : SafeQ, PaperCut and more at x	ted threat response through atchdog; ation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability GATEWAY TO NEW POS	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inter User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CD Encrypted Hard Disk (AES 256 (optional), Firmware Verificati Common Criteria Certificatio ATION SERVICES Xerox® Standard Accounting; C Xerox® Device Manager, Xero Configuration Cloning, Fleet C Cisco EnergyWise®, Print User SIBILITIES	vpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management c 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H ⁻ n (ISO 15408), Encrypted Secur Optional: Xerox® Workplace Clo x® CentreWare® Web, Xerox® S Irchestrator ID on Margins, Earth Smart Pr	Drchestrator [®] , Network Authent cate, Cisco [®] Identity Services Er Audit Log, Access Controls, Use x [®] Integrated RFID Card Reade and Content Security; learn moi d Image Overwrite, McAfee En TTPS and Drivers, Xerox [®] Workp re Print, FIPS Encrypted Print Dr ud/Suite, Nuance Equitrac, Ysoft upport Assistance, Automated int Settings	igine (ISE) integration, automa r Permissions, Configuration Wa r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N ilace Cloud/Suite Content Secu ivers SafeQ, PaperCut and more at x Meter Read, Managed Print Secu	ted threat response through atchdog; (ation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement. rvices Tools,	
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Fleet / Device Management Sustainability	IPsec, HTTPS, SFTP and Encry SSL, TLS, Security Certificates McAfee DXL/Cisco pxGrid inter User Access and Internal Fire Optional: Smart Card Enable optional Xerox® Workplace CD Encrypted Hard Disk (AES 256 (optional), Firmware Verificati Common Criteria Certificatio ATION SERVICES Xerox® Standard Accounting; Xerox® Device Manager, Xero Configuration Cloning, Fleet C Cisco EnergyWise®, Print User SIBILITIES Go to xerox.com/AppGaller	vpted Email, McAfee® ePolicy C , Automatic Self-signed Certific egration wall, Port/IP/Domain Filtering, ment Kit (CAC/PIV/.NET), Xero: oud/Suite Print Management c 5-bit, FIPS 140-2, Validated) an ion, Job Level Encryption via H ⁻ n (ISO 15408), Encrypted Secur Optional: Xerox® Workplace Clo x® CentreWare® Web, Xerox® S Irchestrator ID on Margins, Earth Smart Pr y to learn how you can expand	Drchestrator®, Network Authent cate, Cisco® Identity Services Er Audit Log, Access Controls, Use & Integrated RFID Card Reade and Content Security; learn mor d Image Overwrite, McAfee Er TTPS and Drivers, Xerox® Workp re Print, FIPS Encrypted Print Dr ud/Suite, Nuance Equitrac, Ysoft upport Assistance, Automated	igine (ISE) integration, automa r Permissions, Configuration Wa r E1.0, NFC standard (authentic re at xerox.com/WorkplaceSol ibedded Control Whitelisting, N ilace Cloud/Suite Content Secu ivers SafeQ, PaperCut and more at x Meter Read, Managed Print Ser d work in new ways with dedicc	ted threat response through atchdog; cation via utions .) AcAfee Integrity Control rity erox.com/PrintManagement rvices Tools, ated apps	

* Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

For more detailed specifications, including the latest certifications, go to **www.xerox.com/AltalinkB8000Specs**.

©2019 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver® and Mobile Express Driver® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 8/19 PN03658 BR29661 AB8BR-01UG

